

 imageFORMULA
DR-6010C

Canon

Delighting You Always

SIMPLE ADDITION TO BOOST EFFICIENCY

*The Canon DR-6010C is an A4-size duplex scanner compact in size
yet powerful in speed and image-processing technology.*

60 ppm

COLOR DOCUMENT SCANNER

Business **can** be simple

Find out more at www.canon-asia.com

Quickly organize and manage your digital documents at the speed your business requires



Built for businesses that need the benefits of transforming documents into high-quality digital files quickly and effectively, the exemplary design of Canon's DR-6010C speaks worlds for the ingenuity used in its creation. At the rate of one page per second, in color or black-and-white, this document scanner is capable of scanning in a fraction of the time required by traditional document scanners. The reliable speed of the DR-6010C makes it an invaluable addition to any fast-paced office environment.

Fast and Efficient Document Handling

Despite being small enough to fit on a desktop, the Canon DR-6010C is capable of meeting all busy office requirements for document scanning quickly and effectively. The innovative design and cutting-edge technology expertly accommodates a wide variety of document sizes and types, converting with ease stacks of papers to digital format with exceptional speed and accuracy.

● High Speed Scanning


State-of-the-art 3-line CMOS contact image sensor technology allows the DR-6010C remarkably accurate image replication at an exceptional speed, equally fast with color and black-and-white 60 pages per minute and 120 images per minute (A4/LTR, 200 dpi, portrait). Onboard JPEG compression also reduces the amount of time previously needed to transfer data to a PC.



Fast, one-pass color scanning at the same speed as in B&W. (A4/LTR, 200 dpi)

● Various Document Sizes


DR-6010C features a versatile dual paper path that allows easy processing of diverse document types. The default U-turn path is designed for handling pages of standard, A4/LTR-size thickness, while the straight paper path can process thick items even plastic ID cards. Also, the scanner can be switched from automatic to manual sheet feeding to accommodate non-standard paper types, including multi-sheet forms printed on carbonless (NCR) paper.



Two paper paths

● Ultrasonic Double-feed Detection

Double-feeds are caught with ultrasonic sensors that detect the gap between overlapping pages. The sheets are then stopped from going through the scanner, allowing the double feed to be corrected.



Ultrasonic Double Feed Detection

● Rapid Recovery System


While other scanners require the rescanning of an entire document in the event of a misfeed or paper jam, the DR-6010C is equipped with a Rapid Recovery System that stops for the repositioning of a misfed document so that scanning may resume from where it left off.

Advanced Scanner Functions

The most intricate of image details can be captured with exquisite precision and clarity using DR-6010C's advanced efficiency-optimizing image processing functions and 600 dpi high optical resolution.

● Shading Mechanism

The DR-6010C performs an automatic calibration process called 'shading' prior to each scan to ensure consistent, uniform image quality.



● Auto Color Detection

DR-6010C is equipped with Auto Color Detection to detect whether or not a page contains color during the scanning of documents in a mixed batch. Black-and-white images are scanned in black-and-white scanning mode, and color pages in color scanning mode. This eliminates the need to separate black-and-white and color documents prior to scanning while ensuring image file sizes are kept smaller than if scanning the whole batch in color mode.

● 3-Dimensional Color Space Correction

The 3-Dimensional Color Correction helps the DR-6010C achieve unprecedented color accuracy, true to the original document, using an onboard color conversion chip to pinpoint the exact RGB coordinates.

● Advanced Image Processing

This model offers a collection of invaluable image-processing functions that optimize your document's readability and minimize the need for reprocessing.

■ Auto Page Size Detection, Deskew, Skip Blank Page, Text Orientation Recognition, Color Dropout (R/G/B Custom), Moire Reduction, Prevent Bleed-Through / Remove Background, Punch Hole Removal, MultiStream, and MORE.

● One-touch Job Buttons

Frequently-used scanning functions, such as Scan to E-mail, can be programmed for speedy, one-touch execution. Three customizable Job buttons on the scanner's face can be easily assigned for such routine jobs using the Job Registration Tool.

Operating Features

Bundled Software

User-friendly interface



Capture Perfect

The CapturePerfect scanning application gives you a wide array of file-saving formats that make it easy to turn virtually any document into a high-quality digital image. CapturePerfect's file distribution options help boost your document management productivity. Features include: OCR functionality, PDF Encryption, file editing, Scan to Mail, Scan to Presentation, automatic file name generation, MultiStream, and other productive features.

Kofax VirtualReScan Basic



Leading image processing software, Kofax VRS Basic, improves readability of multiple-size documents with varying degrees of quality. Automatically straighten skewed pages without character degradation, optimize a document's brightness/contrast levels, and eliminate background noise and speckling.

● Do-it-yourself Maintenance

To ensure the best-quality performance from your Canon document scanner, rollers should be replaced every 250,000 scans. Luckily, the DR-6010C is designed with user-replaceable parts so that no service technician is required; all you need is an Exchange Roller Kit (sold separately).

● Energy-efficient

This device meets the ENERGY STAR Program guidelines for energy efficiency, meaning it requires less energy and costs less to run. Settings also designate when the device should enter Stand-by Mode.

● Barcode Decoding

A barcode module is a software option that allows the ISIS/TWAIN driver to recognize scanner barcodes (sold separately).



DR-6010C Specifications



Type	Desktop sheet-fed scanner	
Document feeding	Automatic or manual sheet feeding	
Document size	Width: 53 - 219 mm (2.08 - 8.6 in.) Length: 70 - 356 mm (2.76 - 14 in.); Long Document Mode: up to 3,000 mm (118.11 in.)	
Document thickness and weight	U-Turn Path	Automatic feeding: 0.06 - 0.15 mm, 52 - 128 g/m ² (14 - 32 lb bond)
		Manual Feeding: 0.05 - 0.2 mm, 42 - 157 g/m ² (11 - 40 lb bond)
	Straight Path	Automatic feeding: 0.06 - 0.15 mm, 52 - 128 g/m ² (14 - 32 lb bond)
		Manual Feeding: 0.05 - 0.66 mm, 42 - 546 g/m ² (11 - 144 lb bond)
Business card size and thickness	Size: 53.9 x 85.5 mm (2.12 x 3.37 in.)	
	Thickness: 0.76 ± 0.08 mm (0.03 ± 0.003 in.)	
Feeding capacity	10 mm stack or 100 sheets of 80 g/m ² (20 lb bond)	
Scanning element	3-line CMOS CIS	
Light source	LED (red, green, and blue)	
Scanning side	Simplex/Duplex	
Scanning modes	Black and White, Error Diffusion, High-Speed Text Enhancement, Advanced Text Enhancement, Advanced Text Enhancement II, 256-level Grayscale, 24-bit Color, Auto Color Detection	
Scanning resolutions	100 x 100 dpi, 150 x 150 dpi, 200 x 200 dpi, 240 x 240 dpi, 300 x 300 dpi, 400 x 400 dpi, 600 x 600 dpi	
Scanning speed* (A4/LTR, Portrait)	B&W	200 dpi: 60 ppm (Simplex), 120 ipm (Duplex)
		300 dpi: 60 ppm (Simplex), 120 ipm (Duplex)
	Grayscale	200 dpi: 60 ppm (Simplex), 120 ipm (Duplex)
		300 dpi: 60 ppm (Simplex), 120 ipm (Duplex)
	Color	200 dpi: 60 ppm (Simplex), 120 ipm (Duplex)
		300 dpi: 60 ppm (Simplex), 84 ipm (Duplex)
Interface	SCSI-III / Hi-Speed USB 2.0	
Scanner driver	ISIS/TWAIN	
Useful functions	Job Function, Folio, Ultrasonic Double-Feed Detection, Rapid Recovery System, Moire Reduction, Prevent Bleed Through / Remove Background, Punch Hole Removal, Color Dropout, Auto Page Size Detection, Text Orientation Recognition, Skip Blank Page, Deskew, MultiStream™, Prescan, User Preferences	
Power requirements	AC220-240V(50/60Hz), AC120V(60Hz)	
Power consumption	200V: 30W(Scanning), 2.2W(Sleep mode)	
Operating environment	10 - 32.5°C (50 - 90.5°F), Humidity: 20 - 80% RH	
Dimensions (W x D x H)	Feed trays closed: 318 x 278 x 185.5 mm (12.5 x 10.9 x 7.3 in.)	
Weight	Approx. 6.5 kg (14.3 lb.)	
Options/Consumables	Barcode Module, Exchange Roller Kit	

*Scanning speed may vary depending on PC environment, scanner settings, and other factors.
Specifications are subject to change without notice.

ENERGY STAR and the ENERGY STAR mark are registered U.S. trademarks.

Adobe, the Adobe logo, Acrobat and the Adobe PDF logo are either registered trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Kofax, the Kofax Logo, and other Kofax Marks are registered trademarks or trademarks of Kofax, Inc. in the United States and other countries, and used under authority from Kofax.

Other company names and product names appearing in this brochure are the registered trademarks and/or trademarks of their respective owners.



Canon

Delighting You Always

DEALER'S STAMP

Canon's Sales and Subsidiaries & Business Partners

SINGAPORE

Canon Singapore Pte Ltd
1 Harbourfront Avenue #04-01
Keppel Bay Tower
Singapore 098632
Tel: (65) 6799 8888
Fax: (65) 6799 8882
www.canon-asia.com
www.canon.com.sg

BANGLADESH

Flora Limited
Adamjee Court Annex-2, 4th Fl.
119-120, Motijheel Commercial Area
Dhaka-1000, Bangladesh
Tel: (880) 2 7162742 46 Ext-225
Fax: (880) 2 9550030
www.floralimited.com

J.A.N. Associates Ltd
13/1, Fatema Arcade (2nd Floor)
Road 5, Dhanmondi
Dhaka-1205, Bangladesh
Tel: (880) 2 861444 / 9660601 /
9664101 / 8124941
Fax: (880) 2 8610410
jan@bangla.net
jan-mkt@global-bd.net

BRUNEI

Interhouse Company
P.O. Box 423, Seri Complex BA1779,
Bandar Seri Begawan BF1320
No. 5-7, Bunut Jaya Complex
Spg. 574, Km 7 1/4, Jalan Tutong
Negara Brunei Darussalam
Tel: (673) 2 653001
Fax: (673) 2 653003
www.ihc.com.bn

CAMBODIA

Royal Cambodia Co Ltd
#437 Preah Monivong Blvd
Phnom Penh
Kingdom of Cambodia
Tel: (855) 23 428 955
Fax: (855) 23 722 961
www.royalgroup.com.kh
rccanor@royalgroup.com.kh

HONG KONG

Canon Hongkong Co., Ltd.
19/F., The Metropolis Tower,
10 Metropolis Drive,
Hungghom, Kowloon, Hong Kong
Tel: (852) 3191 2388
Fax: (852) 2369 3800
www.canon.com.hk

INDIA

Canon India Pvt Ltd.
2nd Floor, Tower A & B
Cyber Greens, DLF Phase III
Guragon - 122002 Haryana, India
Tel: (91) 124 416 0000
Fax: (91) 124 416 0011
www.canon.co.in

INDONESIA

P. T. Datacrip
Kawasan Niaga Selatan Blok B-15
Bandar Kemayoran
Jakarta 10610 Indonesia
Tel: (62) 21 6544515
Fax: (62) 21 6544811 to 13
www.datacrip.com

MALAYSIA

Canon Marketing (Malaysia) Sdn Bhd
Block D, Peremba Square,
Saujana Resort Section U2,
40150 Shah Alam,
Selangor Darul Ehsan, Malaysia
Tel: (60) 3 7844 6000 / 7845 0055
Fax: (60) 3 7844 6196 / 6198
www.canon.com.my

MALDIVES

SIMDI Office Automation /
SIMDI Company Pvt Ltd
G.Faith, Majeedee Magu, 20-139,
Male', Maldives
Tel: (960) 333 4421
Fax: (960) 333 4424
www.simdi.com
ramieze@simdi.com

MYANMAR

Myanmar Golden Rock International
Co., Ltd
FJV Commercial Centre
Level 6, No. 422-426
Strand Road Botataung Township
Yangon, Myanmar
Tel: (95) 1 202092 to 96
Fax: (95) 1 202079
sales@mgr.com.mm

NEPAL

International Electronics Concern
Pvt Ltd
Kha 14 1st Floor
Haratibhawan Putalisadak
Ramshah Path, Kathmandu,
P.O. Box 12588
Tel: (977) 1 4421911
Fax: (977) 1 4421909

PAKISTAN

Shirazi Trading Co (Pvt) Ltd
8th Floor, Adamjee House,
I.I. Chundrigar Road,
Karachi, Pakistan
Tel: (92) 21 32417659 / 32417737
Fax: (92) 21 32417747 / 32420417 /
32420418
www.shirazitradng.com.pk

PHILIPPINES

Canon Marketing (Philippines), Inc.
Ground Floor Commerce and Industry
Plaza., Campus Ave. cor. Park Ave.,
McKinley Hill, Fort Bonifacio, Taguig
City
Tel: (632) 884 9000
Fax: (632) 894 4174
www.canon.com.ph

SRI LANKA

Metropolitan Computers (Pvt.) Ltd
85 Braybrooke, Place Colombo 2,
Sri Lanka
Tel: (94) 1 2437797
Fax: (94) 1 2448980
www.metropolitan.lk

THAILAND

Canon Marketing (Thailand) Co. Ltd
9th-10th Fl., 179/34-45
Bangkok City Tower
South Sathorn Road
Thungmahamek, Sathorn,
Bangkok 10120
Tel: (66) 2 344 9999
Fax: (66) 2 344 9960
www.canon.co.th
info@canon.co.th

VIETNAM

Canon Singapore Pte Ltd
Ho Chi Minh City Representative
Office
Floor 6, SaiGon Centre Building
65 Le Loi, Ben Nghe Ward, District 1
Ho Chi Minh City, Vietnam
Tel: (84) 8 820 0466
Fax: (84) 8 820 0477
www.canon.com.vn
cvro_eng@canon.com.sg

Hanoi City Representative Office
15 Nguyen Chi Thanh
Hanoi, Vietnam
Tel: (84) 4 771 1677
Fax: (84) 4 771 1678
www.canon.com.vn
cvro_eng@canon.com.sg